



RELIABLE MOUNTS
IN PLACE. ON TARGET. SINCE 1930.



2007 PRODUCT CATALOG

MOUNT CHARTS

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT	COMPLETE SYSTEM	REAR	FRONT	REAR	FRONT	REAR	FRONT	1-PC	2-PC	
ANSCHUTZ															
▶ MARK 12			16	16											
▶ 54, 54MS, 64, 64MS, 164, 1400 SERIES, 1500 SERIES			91	91						S91	S91			48964	
▶ 153 DELUXE			19	19											
▶ 1568			61	46			402		1						
▶ MATTE			61M	46M			402M	49717		S61	S46		S402		
▶ SILVER			61S	46S			402S	49729							
AUTO SHOTGUNS															
▶ ALL AUTOS EXCEPT REM 11-48, 11-87, 1100, SPTSMN 48		4							7						
BENELLI															
▶ NOVA SHOTGUN (MATTE)						423M									
▶ SUPER BLACK EAGLE, SUPER BLACK EAGLE II, M1 & M2 FIELD GUNS						93A									
BERETTA															
▶ MATO RIFLE			49A	46						S49A	S46				
▶ PINTAIL SLUG GUN			35	35		40A	40A								
▶ MATTE			35M	35M		40A-M	40A-M			S35	S35	S40A	S40A		
▶ SILVER			35S	35S		40A-S	40A-S								
BRITISH 303															
▶ WITH ENFIELD ACTION		4, 15				TO-1									
BROWNING															
▶ 1885 HIGH WALL (OCTAGON BARREL)		1, 3	11	29											
▶ 22 AUTO		18				60A									
▶ SAKO ACTIONS IN 243, 308, 22-250, 222 & 222 MAG.			72	71											
▶ A-BOLT, A-BOLT 22 STALKER; MEDALLION			47	47				49719					48922 L/A	48904	
▶ BLACK													48924 S/A	48904	
▶ MATTE			47M	47M						S47	S47		48923 L/A	48905	
▶ MATTE													48925 S/A	48905	
▶ SILVER			47S	47S											
▶ A-BOLT SHOTGUN															
▶ MATTE			47M	419M											
▶ A-BOLT (EUROPEAN MODEL), MOD 52, 52C		5	85	85											
▶ BOLT ACTION BBR, HI-POWER, OTHER CAL. (OLDER MOD.)			45	46			402	49721	5	S45	S46		S402		
▶ SILVER			45S	46S			402S								
▶ BAR, BAR II, MARK II, BLR LIGHTNING (LEVER), BPR		5	54	54				49720					48932		
▶ MATTE										S54	S54		48933		
▶ BLR (LEVER ACTION)			25	25						S25	S25				
▶ BLR WITH FLAT TOP RECEIVER (OLDER MODELS)			28	28											
▶ BBR (BOLT ACTION), LONG & SHORT ACTIONS			47	46			402	49718		S47	S46		S402		
▶ MATTE			47M	46M			402M								
▶ SILVER			47S	46S			402S								
▶ A-BOLT WSSM			427	47										48911	
BSA															
▶ MONARCH MEDIUM ACTION IN 222, 243 & 308			36	35	97		40A								
▶ MATTE			36M	35M			40A-M	49712		S36	S35		S40A		
▶ SILVER			36S	35S			40A-S								
▶ CF2, MONARCH LONG ACTION IN 7MM, 270 & 30-06			36	35	98		40A								
▶ MATTE			36M	35M			40A-M	49712		S36	S35		S40A		
▶ SILVER			36S	35S			40A-S								
▶ OTHER HIGH-POWERS			28	28											
CARCANO															
▶ CARCANO		4, 6							1						
CARL GUSTAF															
▶ MOD 2000										S460	S460				
CHURCHILL															
▶ HIGHLANDER			36	35			40A								
▶ MATTE			36M	35M			40A-M	49712		S36	S36		S40A		
▶ SILVER			36S	35S			40A-S								
▶ CIL															
▶ 830									1						



MOUNT CHARTS

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT	COMPLETE SYSTEM	REAR	FRONT	REAR	FRONT	REAR	FRONT	1-PC	2-PC	
CHURCHILL (CONTINUED)															
▶ 871				62			49715								
▶ 900		19	19												
▶ 950 & 950-C		61	46			402		1							
▶ MATTE		61M	46M			402M	49717		S61	S46		S402			
▶ SILVER		61S	46S			402S									
▶ 972-C		45	46			402	49721		S45	S46		S402			
▶ SILVER		45S	46S			402S									
COLT															
▶ 57		45	46			402	49721		S45	S46		S402			
▶ SILVER		45S	46S			402S									
▶ COLTSMAN IN 223, 243 & 308 CAL. (ROUND RECEIVER)		25	25						S25	S25					
▶ COLTSMAN IN 264 & 30-06 CAL. (ROUND RECEIVER)		54	54				49720		S54	S54					
▶ COLTSMAN WITH SAKO STYLE ACTION IN 223 & OTHER CAL		67	65												
▶ H BAR	10														
▶ SHARPS		85	85												
▶ PYTHON, KING COBRA, & TROOPER MKIII, MKV (NOT DRILLED/TAPPED)	8			48639											
▶ ANACONDA, PYTHON & KING COBRA PISTOLS (SILVER)	8, 17			412S											
▶ SAUER		35	35		40A	40A								48960	
▶ MATTE		35M	35M		40A-M	40A-M			S35	S35	S40A	S40A			
▶ SILVER		35S	35S		40A-S	40A-S									
COOBY															
▶ 60 & 600								2							
▶ 71		47	46			402	49718	1	S47	S46		S402			
▶ MATTE		47M	46M			402M			S47	S46		S402			
▶ SILVER		47S	46S			402S									
CVA															
▶ OCTAGON BARRELS / RECEIVERS	17	61A	61A												
▶ ROUND BARRELS / RECEIVERS (POST '96 MODELS)		418M	418M											48970	
▶ SILVER		418S	418S												
ENFIELD WITH RECEIVER CUT DOWN LIKE:															
▶ REMINGTON 30		11	11					1							
▶ WINCHESTER 70		47	46			402									
▶ MATTE		47M	46M			402M	49718		S47	S46		S402			
▶ SILVER		47S	46S			402S									
▶ REMINGTON 721		36	35			40A									
▶ MATTE		36M	35M			40A-M	49712		S36	S35		S40A			
▶ SILVER		36S	35S			40A-S									
GARCIA															
▶ 73				53			49725								
▶ 74		67	65												
GOLDEN EAGLE															
▶ 7000		71	71												
GROOVED RECEIVER WITH 3/8" DOVETAILS															
▶ SEE .22 RING INFORMATION	12						49515								
▶ SILVER							49733								
H & R															
▶ 65, 165, 150 & 151 (AUTO)		18	18					2							
▶ 250, 251, 264, 265, 365, 450 & 550		18	16					2							
▶ 232C SHOTGUN (10 GA.) & 980 ULTRA		19	19												
▶ 155, SB2 ULTRA (.22-250), TOPPER 158C (1973+), 157				82											
▶ 300, 301, 330 & 370 (PRE 1973)		45	46			402	49721	5	S45	S46		S402			
▶ SILVER		45S	46S			402S									
▶ 300 & 301 S.A. IN 22-250, 243 & 308 (1973+)		83	84												
▶ 300 & 301 L.A. IN 270, 30-06, 7MM & 300 WIN (1973+)		54	46			402			S54	S46		S402			
▶ 317 & 322		11	35			40A									
▶ 317 (PRE 1975)		67	65												
▶ 360 & 361				81											
▶ 700				87A											



MOUNT CHARTS

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES				STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD		EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT			
H & R (CONTINUED)														
▶ 755, 765, 852 & 865			17	21				2						
▶ 800			12	12										
▶ TOPPER 30, 22 JET, & MOD 158 (PRE 1973)		18			60A									
HERTERS														
▶ J9			45	46			402	49721	5	S45	S46	S402		
▶ SILVER			45S	46S			402S							
▶ U9 BSA ACTION		4	28	28										
▶ U9 ROUND RECEIVER			36	35			40A							
▶ MATTE			36M	35M			40A-M	49712		S36	S35	S40A		
▶ SILVER			36S	35S			40A-S							
HIGH-STANDARD														
▶ HIGH-POWER			55	46			402		1	S55	S46			
▶ AUTO SHOTGUN									8					
INTERARMS														
▶ 92 CARBINE (REPLICA OF WIN. 92)		4							3A					
▶ ATD		18			60A									
▶ MARK X		1	55	20A										
▶ MINI MARK X		1	23	71A										
▶ VISCOUNT		1	45	46			402	49721		S45	S46	S402		
ITHACA														
▶ DEERSLAYER, 37 & 87 (12, 16, 20 GA.)					62			49715						
▶ LSA-55 & LSA-65			61	61				49727						
▶ MATTE			61M	61M						S61	S61			
▶ SILVER			61S	61S										
▶ 49SS, .22		4							3A					
▶ LIGHTNING X3			39	39										
JAPANESE														
▶ 6.5MM & 7.7MM		6			70				1					
KNIGHT MUZZLELOADERS														
▶ KNIGHT MK-85, BK-92 & T-BOLT (FLAT RECEIVERS)			61	61										
▶ MATTE			61M	61M				49727		S61	S61			
▶ SILVER			61S	61S										
▶ LK-93, WOLVERINE, LEGEND, DISC, AMERICAN, REVOLUTION			45	45						S45	S45			
▶ SILVER			45S	45S										
KRAG														
▶ (OFFSET TO LEFT FOR EASY EJECTION)		4							2					
LAKEFIELD														
▶ 22 RIMFIRE		12												
LEE-ENFIELD														
▶ LEE-ENFIELD		4, 15			TO-1									
LEGACY														
▶ HOWA			36	35			40A					48912	48900	
▶ MATTE			36M	35M			40A-M	49712		S36	S35	S40A	48913	
▶ SILVER			36S	35S			40A-S						48901	
LLAMA (PISTOL)														
▶ SUPER COMANCHE (FLAT SURFACE - SEE OCTAGON BARRELS)		4												
MAGNUM RESEARCH														
▶ LONE EAGLE SSP 91 PISTOL			16	16										
MARLIN														
▶ 45, 30AS 336 (ALL MODELS) 444, 1893, 1894, 1895, CAMP 9, 922M, 989, .22 AUTO					63B			49713					48928	
▶ SILVER					63BS									
▶ MATTE										S466	S466		48929	
▶ A1 & 50			15	15					2					
▶ 39A, 39D & CENTURY (OCTAGON BARREL)			28	31										
▶ 39A (ROUND BARREL)		21	29	16	90				2					
▶ 57 MAGNUM					58									



MOUNT CHARTS

WEAVER® MOUNT APPLICATIONS CHART	NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
		STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT		
MARLIN (CONTINUED)														
▶ 88, 89 & 98		18	18					2						
▶ 80, 81 & 980		12	12					2						
▶ 455		45	46			402	49721	5	S45	S46		S402		
▶ SILVER		45S	46S			402S								
▶ 512 SLUG MASTER & 55 (DRILL & TAP) (MATTE)								10M						
▶ 60, 990L, 70, 995, 882, 25MN, 883	12													
▶ MR7		47	46			402								
▶ MATTE		47M	46M			402M	49718		S47	S46		S402		
▶ SILVER		47S	46S			402S								
▶ MLS-50 & MLS-54, (BASES SOLD 2/PACK)		406	406				49736							
▶ SILVER		406S	406S											
▶ 1894													48958	
▶ 900 SERIES IN .17 & .22 CALIBERS	12													
MAUSER														
▶ RECEIVER RING ABOUT 1.410" DIAMETER (98FN)	1, 2	45	46			402	49721	5	S45	S46		S402	48954	48952
▶ SILVER		45S	46S			402S								
▶ RECEIVER RING ABOUT 1.300" DIAMETER (SWEDISH 96)	1, 2	55	46			402		1	S55	S46		S402	48950	
▶ BAUER 3000 & 4000		68	46			402								
▶ MARK X	1	55	20A											
▶ 98													48916	48910
MOSSBERG														
▶ 25, 26, 42, 46M, 140, 142 & 146, 45-46 W/ 3/4" DIA. BBLs		12	13					2						
▶ 40		16	21					2						
▶ 43, 44, 144, 46BT & 35		12	16					2						
▶ 45, 46 EARLY MODELS WITH 13/16" DIA. BBLs		12	16					2						
▶ 320, 340, 342 & 620		21	21					2						
▶ 640				63B			49713							
▶ 680, 800 & 695-SHOTGUN (USE DUAL EXTENSION RINGS)		55	55						S55	S55				
▶ 50, 51, 151, 152, 350 & 352		12	12					2						
▶ 400		20A	42											
▶ 472, 479 & 679				80										
▶ 500AS (PRE 1997) & 600 SHOTGUNS				88										
▶ 500 (1997+), 590 & 835 SHOTGUNS (MATTE)				417M										
▶ 810 & RM7		25	11											
▶ 100 ATR, 1500, 1700		36	35			40A							48912	48900
▶ MATTE		36M	35M			40A-M	49712		S36	S35		S40A	48913	48901
▶ SILVER		36S	35S			40A-S								
MUSGRAVE														
▶ MARK I & MARK II		54	46			402			S54	S46		S402		
▶ MARK III & MARK IV		45	46			402	49721		S45	S46		S402		
▶ SILVER		45S	46S											
NAVY ARMS														
▶ COUNTRY BOY MUZZLELOADER		46	46	53	402	402								
▶ MATTE		46M	46M		402M	402M	49725		S46	S46	S402	S402		
▶ SILVER		46S	46S		402S	402S								
NEW ENGLAND FIREARMS (H & R)														
▶ HANDY RIFLE, HORNET (USE EXTRA HIGH RINGS)				82										
▶ N.E.F. 10 GAUGE SHOTGUN		19	19											
▶ HUNTSMAN MUZZLELOADER	8			82										
NEW HAVEN														
▶ 495B (MATTE)								10M						
NORINCO														
▶ 22 AUTO (REPLICA OF BROWNING 22 AUTO)	18			60A										
▶ JW-15	12													
OCTAGON BARREL OR FLAT TOP RECEIVERS														
▶ CAN BE FITTED WITH THE FOLLOWING BASES:		61	61	50										
PARKER-HALE														
▶ 1000, 1000C, 1100, 1200 & 1700		45	46			402	49721		S45	S46		S402		
▶ SILVER		45S	46S			402S								



MOUNT CHARTS

WEAVER® MOUNT APPLICATIONS CHART	NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
		STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT		
PARKER-HALE (CONTINUED)														
▶ 2600		71	85											
▶ MIDLAND		71	75											
PEDER SOLI														
▶ LIGHTNING		75	75											
PUMP SHOTGUNS														
▶ ALL PUMPS EXCEPT WIN. 42	4							8						
RAPTOR ARMS														
▶ SAME AS REMINGTON 700 LONG ACTION		36	35	98		40A		1	S36	S35		S40A		
▶ MATTE		36M	35M			40A-M	49712		S36	S35		S40A		
▶ SILVER		36S	35S			40A-S								
REMINGTON														
▶ 700, 78, 40X-L, 721 & 725 (ALL LONG ACTIONS)		36	35	98		40A		1					48912	48900
▶ MATTE		36M	35M			40A-M	49712		S36	S35			48913	48901
▶ SILVER		36S	35S			40A-S								48971
▶ 700, 78, 40X-S, 722 & 725 (ALL SHORT ACTIONS), 700 MZL. LDR.		36	35	97		40A		1	S36	S35		S40A	48930	48900
▶ MATTE		36M	35M			40A-M	49712		S36	S35		S40A	48931	48901
▶ SILVER		36S	35S			40A-S								
▶ 710		71	71											
▶ 788 ALL CALIBERS		76	75											
▶ 788 IN .222 MAG, .22/250, .30/30 CAL													48978	
▶ 788 IN .243, 6MM, .308 CAL													48946	
▶ 7 W/3 HOLES, 600, 660, XP-100 XR-100				70				1						
▶ 7 W/4 HOLES (NEW IN 1999), 673 (MATTE)		421M	35M						S430	S460				
▶ 740, 742 & 760				62			49715						48948	
▶ 4, 6, 74, 76, 7400, 7600 750				93			49714						48914	
▶ 8 & 81								7						
▶ 10, 11, 12, 34*, 341*, 510, 511, 512 & 521T	6	43	42					2						
▶ 12A, 121 WITH 3/4" DIAMETER BARRELS		18	13					2						
▶ 121 WITH 13/16" DIAMETER BARRELS		18	17					2						
▶ 12C OCTAGON BARREL		18	31											
▶ 14 & 141		20A	27											
▶ 41	6	17	17					2						
▶ 24 & 241	18			60A										
▶ 25		18	21					2						
▶ 30 & 720		11	11					1						
▶ 33	6	17	13					2						
▶ 513S & 513T		43	44					2						
▶ 514		16	21					2						
▶ 514 (NOT DRILLED & TAPPED) & 550	4	12	12											
▶ 541S & 541T		15	15											
▶ 522 VIPER	11													
▶ 5, 552, 572 & 581(S)	12													
▶ 597, 597LSS (MATTE)				414M										
▶ SILVER				414S										
▶ 870, 1100, 11-87 SHOTGUNS (SEE CONVERTA MOUNT SYSTEM)	24			429M										
▶ 11-48, 1100, SPORTSMAN 48 & 58 SHOTGUNS								8						
▶ 798, 799		45	46											
▶ SILVER		45S	46S											
▶ GENESIS		418M	418M											
ROSSI (ALSO SEE INTERARMS)														
▶ .410/.22 LR & .410/.17 HMR SMALL FRAME MATCHED PAIR COMBOS ONLY	7			92A										
RUGER														
▶ NO. 1	1, 3, 4	85	89											
▶ NO. 3	1, 3, 4	85	86											
▶ 10/22 IN 22 LONG RIFLE CAL. (GROOVED & DRILLED)	16			TO-9										
▶ MATTE	16			TO-9M			49711							
▶ SILVER	16			TO-9S			49734							
▶ 10/22 MAG & 77/22 (W/BUILT-IN INTEGRAL MOUNTS), 77-50 ML							49723							
▶ SILVER							49735							



MOUNT CHARTS

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES				STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD		EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT	REAR			FRONT	REAR	FRONT	REAR		
RUGER (CONTINUED)														
▶ 96/22 & 96/22 MAGNUM		16			TO-11									
▶ 44 CARBINE MAGNUM DEERSTALKER			47	68										
▶ M77 (ROUND TOP DRILLED)			79	35			40A					48912	48900	
▶ MATTE												48913	48901	
▶ M77, (W/BUILT-IN INTEGRAL MOUNTS)							49724							
▶ SILVER							49732							
▶ MINI 14 RANCH & MINI 30 (W/BUILT-IN INTEGRAL MOUNT)							49723							
▶ SILVER							49735							
▶ MINI 14-NO INTEGRAL MNTS (302)		8			48644									
▶ SILVER (302S)		8			48646									
▶ SINGLE SIX & SUPER SINGLE SIX (314)		8			48643									
▶ SECURITY SIX (305)		8			48640									
▶ BLACKHAWK & SUPER BLACKHAWK (301)		8			48638									
▶ SILVER (301S)		8			48635									
▶ REDHAWK (308S) SILVER		8			48648									
▶ MARK II PISTOL, STANDARD MODELS (306)		8, 13			48641									
▶ SILVER (306S)		8, 13			48637									
SAKO														
▶ L579			72	71										
▶ 72, 75 & 78			85	85										
▶ FINNWOLF				53			49725							
▶ FORESTER, FINNBEAR & VIXEN (TAPERED DOVETAILS)			67	65									48962	
▶ WHITETAIL HUNTER			61	61										
▶ MATTE			61M	61M			49727		S61	S61				
▶ SILVER			61S	61S										
SAUER														
▶ 200			35	35			40A							
▶ MATTE			35M	35M		40A-M	40A-M		S35	S35	S40A	S40A		
▶ SILVER			35S	35S		40A-S	40A-S							
▶ 202									S459	S460				
▶ SHR 970			25	25			49720		S25	S25				
SAVAGE														
▶ 3			16	21				2						
▶ 4 & 5			12	13				2						
▶ 6 & 7			12	12				2						
▶ 29 (ROUND BARREL)			11	22										
▶ 19 & 23			15	16				2						
▶ 20, 340, 340E, 342, 840 & 842E		14						1						
▶ 24		17			74									
▶ 24 & 900S (.22 CAL RIFLES W/GROOVED RECEIVERS)		12												
▶ 25 (OCTAGON BARREL)			19	31										
▶ 40 & 45			11	11				2						
▶ 67 SHOTGUN					93		49714							
▶ 93F HEAVY BARREL			16	16										
▶ 99, 1895 & 1899			14	19								48956		
▶ 170					62		49715							
▶ 219			12	30				2						
▶ 10, 12 & 16 (SHORT ACTIONS), STRIKER, PSTL, 510, 512, 516 S/ A, 10 ML (2-PIECE ONLY) PRE 2003 MODELS		22	61	46			402					48920	48902	
▶ MATTE		22	61M	46M			402M		S61	S46	S402		48903	
▶ SILVER		22	61S	46S			402S						48972	
▶ 110, 112, 116 (LONG ACTIONS); 210 SHTG (USE X-HIGH RINGS) PRE 2003 MODELS		22	61	46	413		402	1				48918	48902	
▶ MATTE		22	61M	46M			402M	49717	S61	S46	S402		48903	
▶ SILVER		22	61S	46S			402S						48972	
▶ 2400			67	65										
▶ 10, 12, 110, 112 SERIES, W/ ACCUTRIGGER,, STEVENS 200, 10 ML II		22	46	46			402							
▶ MATTE		22	46M	46M		402M	402M		S46	S46	S402	S402	48906	
▶ SILVER		22	46S	46S		402S	402S							
SCHULTZ & LARSEN														
▶ SCHULTZ & LARSEN			54	45			402	1	S54	S45	S402			



MOUNT CHARTS

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT				
SEARS															
42 & 43			12	21											
50 & 51			45	46			402	49721	5	S45	S46		S402		
SILVER			45S	46S			402S								
51L			55	46			402		1	S55	S46		S402		
53			47	46			402	49718	1					48908	
MATTE			47M	46M			402M			S47	S46		S402	48909	
SILVER			47S	46S			402S								
54 & 100									3B						
SHILEN															
FLAT TOP RECEIVER			61	61				49727							
MATTE			61N	61M						S61	S61				
SILVER			61S	61S											
ROUND RECEIVER			35	35		40A	40A								
MATTE			35M	35M		40A-M	40A-M			S35	S35	S40A	S40A		
SILVER			35S	35S		40A-S	40A-S	49725							
SMITH & WESSON															
MAUSER ACTIONS W/SMALL REC. RING ABOUT 1.30" DIA			55	46			402		1	S55	S46		S402		
1500, 1600 & 1700			36	35			40A							48912 48900	
MATTE			36M	35M			40A-M	49712		S36	S35		S40A	48913 48901	
SILVER			36S	35S			40A-S								
29, 629, 625, 686 & L, K & N FRAME RVLRS (FACTORY DRILLED)	8, 17, 23					401									
SILVER	8, 17, 23					401S									
L & K FRAME RVLRS (307)	8					48642									
SILVER (307S)	8					48634									
41 PISTOL						62									
2206 TGT PSTL (SILVER)	17					407S									
SPRINGFIELD															
03	6		54	55					1	S54	S55				
03-A3	8		59	45											
SPRINGFIELD ARMORY															
1911 A-2 SASS CONVERSION						26									
STEVENS															
26			22	22					2						
27 OCTAGON			31	31											
53			16	21					2						
56 & 66			12	13					2						
57, 76, 4171/2 & 762			12	12					2						
110E			61	46			402		1						
MATTE			61M	46M			402M	49717		S61	S46		S402		
SILVER			61S	46S			402S								
322 & 325									1						
416			18	17					2						
417			15	15					2						
418 & 418 1/2			16	16					2						
SAVAGE/STEVENS 200	22		46	46		402	402								
MATTE	22		46M	46M		402M	402M			S46	S46	S402	S402	48906	
SILVER	22		46S	46S		402S	402S								
STEVENS - SPRINGFIELD															
83			16	21					2						
85, 87 & 872	4		12	12					2						
840	14								1						
TAURUS															
L, K & N FRAME RVLRS (LIKE S&W, FACTORY DRILLED)	8, 17, 23					401									
SILVER	8, 17, 23					401S									
L & K FRAME RVLRS (307)	8					48642									
SILVER (307S)	8					48634									
THOMPSON CENTER															
CONTENDER HANDGUN & CONTENDER CARBINE RIFLE						92A									
SILVER						92AS									



MOUNT CHARTS

WEAVER® MOUNT APPLICATIONS CHART	NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
		STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT		
THOMPSON CENTER (CONTINUED)														
▶ SCOUT RIFLE & SCOUT PISTOL				404										
▶ TCR				405										
▶ THUNDERHAWK & FIREHAWK (2EA. PER PKG.)		406	406			49736								
▶ SILVER		406S	406S											
▶ TRADITIONAL STYLE MUZZLELOADERS, NEW ENGLANDER	19			408										
▶ ENCORE, OMEGA				410										
▶ SILVER				410S										
▶ SYSTEM 1 & BLACK DIAMOND (2EA. PER PKG)		411	411											
▶ SILVER		411S	411S											
TIKKA														
▶ TIKKA W/FLAT RECEIVER		61	61											
▶ MATTE		61M	61M			49727			S61	S61				
▶ SILVER		61S	61S											
▶ SAKO DESIGN W/TAPERED DOVETAIL		67	65											
TRADITIONS														
▶ WHITETAIL W/OCTAGON RECEIVERS	17	61A	61A											
▶ IN-LINE MUZZLELOADERS W/ROUND RECEIVERS - MATTE		418M	418M											
▶ SILVER		418S	418S											
U. S. CARBINE														
▶ M1 CARBINE 30 CAL.	20							M						
VALMET														
▶ TAPERED DOVETAIL, SAKO DESIGN		67	65											
VOERE														
▶ 2130	4	28	28											
▶ 2150, 2165/1, 2165/2, 2165/3 & 2165/4 (MAUSER ACTION)		45	46			402	49721		S45	S46		S402		
▶ SILVER		45S	46S											
WEATHERBY														
▶ VANGUARD	1, 22	36	35			40A							48912	48900
▶ MATTE	1, 22	36M	35M			40A-M			S36	S35		S40A	48913	48901
▶ SILVER	1, 22	36S	35S			40A-S								
▶ MARK V STD. CAL INCL. 240MAG, CENTERFIRE PISTOL, 224 VARMINTMASTER, ULTRA LIGHTWEIGHT		36	415											
▶ MATTE		36M	415M											
▶ SILVER		36S	415S											
▶ FN MAUSER STYLE ACTIONS		45	46			402	49721	5	S45	S46		S402		
▶ SILVER		45S	46S			402S								
▶ MARK V MAG. CAL EXCEPT 240 MAG.		424	35											48976
▶ MATTE		424M	35M			40A-M								
WESTERN FIELD														
▶ 712	6							1						
▶ 730		25	11											
▶ 740				63B			49713							
▶ SILVER				63BS										
▶ 750		67	65											
▶ 770		55	20A											
▶ 772				80										
▶ 775 & 780		55	55						S55	S55				
WINCHESTER (INCLUDES RANGER MODELS)														
▶ 03 & 63		19	22					2						
▶ 06, 62, 62A & 90 W/OCTAGON BARREL		32	32											
▶ 05, 07 & 10		20A	17											
▶ 42														
▶ 43		18	18											
▶ 52 (HOLE SPACING DIFFERENT)	6, 9	25	57											
▶ 52 (HOLE SPACING SAME)	6, 9	46	46			402								
▶ MATTE	6, 9	46M	46M			402M	402M		S46	S46	S402	S402		
▶ SILVER	6, 9	46S	46S			402S	402S							
▶ LEVER ACTIONS 53, 55, 64, 65, 66, 71, 1886, 1892, 95 & 1895	4							3A						
▶ 54, & EARLY MOD. 70 W/SERIAL NO. BELOW #66 350	6	48	46			402		1						



MOUNT CHARTS

WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT	COMPLETE SYSTEM	REAR	FRONT	REAR	FRONT	REAR	FRONT	1-PC	2-PC	
WINCHESTER (CONTINUED)															
▶ 57 & 69			12	13				2							
▶ 60, 67 & 68	6		21	21											
▶ 61 W/ROUND BARREL			19	13				2							
▶ 61 W/OCTAGON BARREL			25	32				2							
▶ 69A, 72 & 47			12	17				2							
▶ 70 LONG ACTION (HOLE SPACING SAME), 670, 770	9		47	46	96		402	1					48938	48908	
▶ MATTE			47M	46M			402M	49718		S47	S46		S402	48909	
▶ SILVER			47S	46S			402S								
▶ 70 LONG ACTION (HOLE SPACING DIFFERENT) & 70 SUPER EXPRESS	9		49A	46			402			S49A	S46		S402		
▶ 70 SHORT ACTION (1984+)			47	46	99		402	1					48940	48908	
▶ MATTE			47M	46M			402M	49718		S47	S46		S402	48909	
▶ SILVER			47S	46S			402S								
▶ 70 WSSM			428	46										48907	
▶ 70 W/SERIAL NO BELOW 66 350 (PRE '64)													48936		
▶ 70 LONG ACTION, REAR HOLE SPC .435"														48934	
▶ 74			12	12				2							
▶ 75 SPORTER			15	30				2							
▶ 75 TARGET			15	16				2							
▶ 77			15	32				2							
▶ 88 & 100					53			49725						48942	
▶ 94 PRE '64									3D						
▶ 94 POST '64 & 94 TRAPPER									3B						
▶ 94 BIG BORE 375									3C						
▶ 94 ANGLE-EJECT BIG BORE			95	403											
▶ 94 ANGLE-EJECT (EXCEPT EARLIEST MODELS)			95	94				49716						48944	
▶ 94/22	16				TO-10										
▶ 520			85	85											
▶ 777			71	71											
▶ 1200 & 1500 SHOTGUNS (SEE CONVERTA MOUNT SYSTEMS)															
▶ 1300 & 1400 SHOTGUNS (ALSO SEE CONVERTA MOUNT SYS) MATTE					416M										
▶ 50 SHOTGUN								8							
▶ X-150, APEX MUZZLELOADERS (MATTE)			418M	418M											
▶ SILVER			418S	418S											

NOTES

- Shimming is probably required for perfect scope alignment.
- Rear base may require modifications for correct fit to military actions.
- Front base may require modification for correct fit.
- Gun will have to be drilled and tapped.
- Front base screws must be shortened by grinding.
- May require bolt and/or safety alteration, otherwise firearm cannot function safely and properly. Consult with a qualified gunsmith.
- BASE DOES NOT FIT ROSSI LARGE FRAME MATCHED PAIR COMBOS (ALL MODELS WITH 20 OR 12 GA SHOTGUN BARRELS).
- Remove rear sight to use.
- The handiest way to pinpoint the correct base for the Win. 52 & Win. 70 Long action Rifles is to check the spacing of the tapped holes for the rear base and compare it to the hole spacing for the front base. Does it have:

HOLE SPACING THE SAME	HOLE SPACING IS DIFFERENT
Model 52 Use 46+ 46	Model 52 Use 25+ 57
Model 70 Use 47+ 46	Model 70 Use 49A+ 46
- The Weaver type base built into this rifle will accept Weaver rings but our highest ring (1" See-Thru #49513) still isn't high enough to clear the front sight.
- The Weaver type base built into this firearm will accept any Detachable Top Mount Weaver Ring.
- Rifle has Grooved Receiver for Tip-Off Rings.
- Ruger Mark II Pistols. Weaver only offers a clamp on base with 1" rings (Pistol Mount System #306). Ruger supplies a short or long base and 19" or 30mm rings w/factory drilled and tapped pistols. Contact Ruger at 602-778-6555 for these items.
- Bolt Clearance problem may exist and scope will not be centered.
- Base accepts Tip-Off Rings only.
- TO-9, TO-10 & TO-11 bases accept either Detachable Top Mount Rings or Tip-Off Rings. Each have crossbolt slots and 3/8" grooves for both applications.
- Must be factory drilled and tapped.
- One-Piece base attaches to barrel and extends back over receiver.
- Requires the use of Thompson/Center base adapter.
- Requires drilling and tapping 4 holes in receiver and relief space cut in stock to clear base.
- Rear base is positioned on top of receiver and front base is positioned on the barrel. Drilling & tapping required. One-piece base mounts w/2 set screws & newer guns are factory drilled & tapped.
- For shorter tube scopes or red dot scopes use #402 extension front base or one-piece base if available. Extension base allows an extra .689".
- WARNING: NOT FOR USE WITH X-FRAME REVOLVERS. USE ON FIREARMS OTHER THAN THOSE LISTED MAY CAUSE INJURY.
- Top mount base is designed to fit 12GA models only.





AMMUNITION SYSTEMS

ATK Ammunition Systems Group is a unique collection of brands that gives shooting and outdoor enthusiasts everything they need in one place. From ammunition and reloading equipment to gun clean-

ing chemicals and accessories, ATK Ammunition Systems Group offers advanced, high-performance products. Look for these leading suppliers under the ATK Ammunition Systems Group umbrella.



WE PROUDLY SUPPORT

DUCKS UNLIMITED. • THE FOUNDATION FOR NORTH AMERICAN WILD SHEEP. • IZAAK WALTON LEAGUE OF AMERICA.
THE NATIONAL WILD TURKEY FEDERATION • PHEASANTS FOREVER. • THE ROCKY MOUNTAIN ELK FOUNDATION. • SAFARI CLUB INTERNATIONAL.
WHITETAILS UNLIMITED. • BECOMING AN OUTDOORS WOMAN. • WOMEN IN THE OUTDOORS. • 4-H SHOOTING SPORTS PROGRAM.
THE BOY SCOUTS OF AMERICA. • INTERNATIONAL HUNTER EDUCATION ASSOCIATION, AND CIVILIAN MARKSMANSHIP PROGRAM.